



BASES CONVERSION and DEVELOPMENT AUTHORITY

2/F Bonifacio Technology Center, 31st Street Bonifacio Global City, Taguig City

Tel. No. 8575-1700 loc. 1782/1784

Email: uatabion@bcda.gov.ph

REQUEST FOR QUOTATION

(Company Name):

Date: **August 01, 2025**


PR #: **0001475**

Please quote your lowest price(s) using this form, or your letterhead. Also, take note of the following details:

- 1) Quotation/s shall be addressed to the Head of Procurement Division. Please indicate Solicitation or Reference No.
- 2) Send the said quotation/s to BCDA or fax the same at no. 8575-1785 not later than **07 August 2025**
- 3) Quotation/s submitted after the set deadline indicated in item no. 2 shall not be accepted/considered.
- 4) The quotation/proposal shall be properly signed by the authorized representative and/or immediate supervisor.

BCDA reserves the right to accept or reject any or all of the quotations, or waive formally therein, or to accept quotation/s as may be considered most advantageous to the gov't., or to pursue appropriate legal action should the winning bidder refuse to accept the award without justifiable reason/s.


URSULA N. ARANDELA-TABION
Canvasser


ALMIRA S. CLARIANES
Chief Administrative Officer

TO: **BCDA HEAD OF PROCUREMENT**

Per request, below is/are the price(s) of the article(s)/service(s) as indicated under Unit Price:

QTY (A)	UNIT	DESCRIPTION/SPECIFICATIONS	UNIT COST (ex-VAT) (B)	VAT (C)	TOTAL UNIT COST (D = B + C)	TOTAL AMOUNT (A x D)
1	Item	Gun Safe/Vault See attached specification and photo for reference ABC: PhP88,500.00				
TOTAL AMOUNT						₱

Prospective Suppliers who will bid above the ABC will be **DISQUALIFIED**

Suppliers are required to submit the following Documentary Requirements upon submission of quotation:

- 1) Valid Mayor's/Business Permit
- 2) PhilGEPS Registration No.
- 3) Notarized Omnibus Sworn Statement and Proof of Authorization (e.g., Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable)
- 4) Business/Income Tax Return (If the ABC is above 500k)
- 5) BIR Certificate of Registration (BIR Form 2303)

Note: A) Unnotarized Omnibus Sworn Statement (OSS) is acceptable upon submission of quotation. However, the winning bidder/supplier must submit the duly notarized Omnibus Sworn Statement (OSS) and Proof of Authorization within 5 working days upon notification of the Notice of Award. Noncompliance on the timely submission of OSS is a ground for disqualification.

B) Suppliers who have previously submitted the above documentary requirements may no longer require its re-submission except for the Omnibus Sworn Statement.

Terms and conditions:

Price: **Inclusive of all applicable taxes**

Payment: **NET Thirty (30) working days**

Delivery: **30 day/s upon issuance of Notice to Proceed (NTP)**

Validity of price: **one (1) month**

WARRANTY: **at least one (1) year**

We hereby certify, that we have prepared, checked and reviewed this quotation.

This quotation is valid unless revoked in writing which should be done prior to our receipt of the Purchase Order or Job Order.

Printed Name/Signature/DATE

Immediate Supervisor

Telephone / Fax Number

SPECIFICATIONS

Fire Resistance

Two-hour fire resistance

Withstand Heat Exposure up to 1,536.80 degrees Fahrenheit

Exterior

60"H x 25"W x 22-3/8"D

Interior

49-5/8"H x 21-1/8"W x 12-1/4"D

Body Thickness

1-3/4"

Door Thickness

3-1/2"

Ammo Locker

8-1/4"H x 21-1/8"W x 12-1/4"D

Shot Gun compartment (Could be Modified into M16 Compartment)

4-3/8"H x 10-3/8"W x 12-1/4"D

(10) Long Shotgun Max. Capacity

PROTECTION:

Lock

The Locking Mechanism is controlled by a three-tumbler

Key-changing combination lock, listed by the Underwriter's Laboratories, Inc,

Each lockset is capable of 1,000,000 changes

Boltwork

The door is fitted with three sliding, solid stainless steel locking bolt and rear jamb. These locking bolts measures 3/4" in diameter. When Closed, the rear jamb is designed to interlock with the body jamb, keeping the door firmly closed even if all hinges are sawed off.

Mechanical

A relocking mechanism attached to the combination lockset will activate when an attack is mounted against the lock itself.

