

**8. Technical Specification for Lot H**

Bidders must indicate whether the goods and equipment offered are “Compliant” or “Non-Compliant” to the corresponding specifications prescribed by BCDA using this form.

REBIDDING FOR THE SUPPLY, DELIVERY, AND INSTALLATION OF GOODS (FURNITURE AND EQUIPMENT) FOR THE NATIONAL ACADEMY OF SPORTS (NAS) – PHASE 1 AT NEW CLARK CITY					
TECHNICAL SPECIFICATIONS COMPLIANCE FORM					
LOT NO.	ITEMS	UNIT	SPECIFICATIONS	COMPLIANCE	
				Compliant	Non-compliant
<b>PHYSICAL THERAPY &amp; REHABILITATION EQUIPMENT</b>					
H.1	1	set	<b>ANTI-GRAVITY TREADMILL</b>		
			<p>CAPACITY</p> <ul style="list-style-type: none"> <li>• Fits individuals from 4’8” (142 cm) to 6’4” (193 cm); 18.5” (47 cm) hip width, 58” (147 cm) hip circumference.</li> </ul> <p>PERFORMANCE</p> <ul style="list-style-type: none"> <li>• User weight capacity: 85 - 400 pounds (181.4 kg)</li> <li>• Body Weight Range Adjustment:               <ul style="list-style-type: none"> <li>o Up to 320 lbs (145.2 kg) 20% – 100% of user’s body weight</li> <li>o &gt;320 lbs (145.2 kg) 35% - 100% of user’s body weight</li> </ul> </li> <li>• Running surface area:               <ul style="list-style-type: none"> <li>- 20 inches (51 cm) wide</li> <li>- 58 inches (147 cm) long</li> </ul> </li> <li>• Speed range:               <ul style="list-style-type: none"> <li>- Forward M320/F320 0 – 12 mph (19.3 km/hr)</li> <li>- Reverse M320/F320 3 mph (4.8 km/hr)</li> </ul> </li> <li>• Elevation: M320/F320 0 - 15%</li> </ul> <p>DIMENSIONS</p> <ul style="list-style-type: none"> <li>• Length: 84 inches (213 cm)</li> <li>• Width: 38 inches (96.5 cm)</li> <li>• Height: 74 inches (188 cm)</li> <li>• Weight: 750 pounds (340 kg), approximately • Step-up height: 8” (20 cm)</li> </ul> <p>WARRANTY</p> <p>Service: One (1) year            Motor: Two (2) years            Parts: One (1) year</p>		
H.2	1	set	<b>OVERHEAD / CEILING-MOUNTED TRACK AND HARNESS</b>		
			<p>Straight track: 7.5ft and 10ft segment            Ceiling-Mounted Track System with Different Harness            Sizes Can safely accommodate weight up to 500lbs</p>		

REBIDDING FOR THE SUPPLY, DELIVERY, AND INSTALLATION OF GOODS (FURNITURE AND EQUIPMENT) FOR THE NATIONAL ACADEMY OF SPORTS (NAS) – PHASE 1 AT NEW CLARK CITY					
TECHNICAL SPECIFICATIONS COMPLIANCE FORM					
LOT NO.	ITEMS	UNIT	SPECIFICATIONS	COMPLIANCE	
				Compliant	Non-compliant
<b>PHYSICAL THERAPY &amp; REHABILITATION EQUIPMENT</b>					
			WARRANTY Service: One (1) year Parts: One (1 year)		
<b>H.3</b>	<b>1</b>	<b>units</b>	<b>THERAPEUTIC ULTRASOUND</b>		
			Power supply 100–240V±10%/50/60Hz Dimensions (WxDxH) Device 24 x 32 x 12 cm Device with base 24 x 30.5 x 18.2 cm Device with Vacotron 24 x 30.5 x 21.6 cm Weight 2 kg; Weight, including the optional battery 3 kg Ultrasound frequencies 1 en 3 MHz Ultrasound continuous and pulsed  Duty cycles 5, 10, 20, 33, 50, 80% Pulse frequency 16 Hz, 48 Hz en 100 Hz Intensity 0-2 W/cm2 continuous, 0-3 W/cm2, pulsed Number of US connections 2 Multi-frequency treatment head large 5 cm2 Multi-frequency treatment head small 0,8 cm2 Pre-programmed treatment suggestions 25 - Evidence Based Programmable positions 300 WARRANTY Service: One (1) year Motor: Two (2) years Parts: One (1 year)		
<b>H.4</b>	<b>2</b>	<b>units</b>	<b>PORTABLE ELECTROTHERAPY MACHINE</b>		
			Numbers of channels: 2 non-independent channels Intensity: 0-100 mA per channel Wave form: symmetrical biphasic pulse, 100% compensated Constant current: up to a resistance of 1000 ohm Frequency: 1 – 150 Hz Pulse width (single phase): 50-400 µs Total pulse width 100-800 µs		
			Numbers of channels: 2 non-independent channels Intensity: 0-100 mA per channel Wave form: symmetrical biphasic pulse, 100% compensated Constant current: up to a resistance of 1000 ohm Frequency: 1 – 150 Hz Pulse width (single phase): 50-400 µs Total pulse width 100-800 µs		

REBIDDING FOR THE SUPPLY, DELIVERY, AND INSTALLATION OF GOODS (FURNITURE AND EQUIPMENT) FOR THE NATIONAL ACADEMY OF SPORTS (NAS) – PHASE 1 AT NEW CLARK CITY					
TECHNICAL SPECIFICATIONS COMPLIANCE FORM					
LOT NO.	ITEMS	UNIT	SPECIFICATIONS	COMPLIANCE	
				Compliant	Non-compliant
<b>PHYSICAL THERAPY &amp; REHABILITATION EQUIPMENT</b>					
			WARRANTY Service: One (1) year Motor: Two (2) years Parts: One (1) year		
H.5	2	units	<b>PORTABLE PERCUSSION MASSAGE GUN</b>		
			Powered by a long-lasting lithium ion battery Cordless Quiet Glide technology Weight: 2.5 lbs Battery Life: Up to 3 hours Battery Type: Lithium ion Speed: Up to 3,200 percussions per minute Interchangeable heads: 5 WARRANTY Service: One (1) year Motor: Two (2) years Parts: One (1) year		
H.6	1	set	<b>THERMAL REGULATED PNEUMATIC COMPRESSION</b>		
			Three settings of cyclical pneumatic (air) compression -High (5 to 75 mm Hg) Approximately 2 to 3 minutes of inflation and 1 minute of deflation. -Medium (5 to 50 mm Hg) Approximately 2 to 3 minutes of inflation and 1 minute of deflation. -Low (5 to 15 mm Hg) Approximately 4 to 5 minutes of inflation and 1 minute of deflation. ADJUSTABLE SET-POINT COLD: between 35°F to 50°F DIGITAL TIMER & PRESET PROTOCOLS: up to 90minutes Dimensions: 7.5" W x 16" L x 7.75" H (19cm W x 40.6cm L x 19.7cm H) Weight: (Empty) 7.3 lbs (3.3kg) Hose Connections: 1 port  WARRANTY Service: One (1) year Motor: Two (2) years Parts: One (1) year		
H.7	1	unit	<b>PARALLEL BARS</b>		
			7 ft. Platform Mounted Parallel Bars Width Range: 18" - 28" Height Range: 26" - 39" Warranty: 1 year		

**REBIDDING FOR THE SUPPLY, DELIVERY, AND INSTALLATION OF GOODS (FURNITURE AND EQUIPMENT)  
FOR THE NATIONAL ACADEMY OF SPORTS (NAS) – PHASE 1 AT NEW CLARK CITY**

**TECHNICAL SPECIFICATIONS COMPLIANCE FORM**

LOT NO.	ITEMS	UNIT	SPECIFICATIONS	COMPLIANCE	
				Compliant	Non-compliant
<b>PHYSICAL THERAPY &amp; REHABILITATION EQUIPMENT</b>					
H.8	1	set	<b>MEDICINE BALLS (ALL SIZES)</b>		
			Physio ball, Ø 85 mm Physio ball, Ø 95 mm Warranty: 2 years		
H.9	1	set	<b>VINYL COATED DUMBBELL</b>		
			Dumb-bell, 1 kg, set of 2 Dumb-bell, 2 kg, set of 2 Dumb-bell, 3 kg, set of 2 Dumb-bell, 4 kg, set of 2 Dumb-bell, 5 kg, set of 2 Warranty: 2 years		
H.10	1	set	<b>CUFF WEIGHTS</b>		
			Wristlet 0.5 kg Wristlet 1.0 kg Wristlet 2.0 kg Wristlet 3.0 kg Wristlet 3.5 kg Wristlet 5.0 kg Warranty: 2 years		
H.11	1	set	<b>RESISTANCE BANDS</b>		
			Rep exercise band level 1 peach 5,5 m Rep exercise band level 2 orange 5,5 m Rep exercise band level 3 green 5,5 m Rep exercise band level 4 blue 5,5 m Rep exercise band level 5 purple 5,5 m Rep exercise band level 1 peach 45 m Rep exercise band level 2 orange 45 m Rep exercise band level 3 green 45 m Rep exercise band level 4 blue 45 m Rep exercise band level 5 purple 45 m Dispenser for 5 rolls Warranty: Free from manufacturing defects for 90 days		

REBIDDING FOR THE SUPPLY, DELIVERY, AND INSTALLATION OF GOODS (FURNITURE AND EQUIPMENT) FOR THE NATIONAL ACADEMY OF SPORTS (NAS) – PHASE 1 AT NEW CLARK CITY					
TECHNICAL SPECIFICATIONS COMPLIANCE FORM					
LOT NO.	ITEMS	UNIT	SPECIFICATIONS	COMPLIANCE	
				Compliant	Non-compliant
<b>PHYSICAL THERAPY &amp; REHABILITATION EQUIPMENT</b>					
H.12	2	set	<b>PLYOMETRIC BOX</b>		
			Heavy-duty firm foam construction allows for added stability Soft material helps prevent injury Slip-free surface No assembly required Rotate the box for more challenging heights Overall Height: 16" Foam: Foam Overall Width: 18" Weight Capacity: 330 lbs. Overall Length 20" Product Weight: 24 lbs. Warranty: 5 years		
H.13	1	units	<b>TREATMENT TABLE</b>		
			Size tabletop (lxw): 207 - 209 x 67 cm Height adjustment: approximately 48,5-105,5 cm Lifting time (min.-max.): approximately 35 sec. Lifting capacity: 150 kg (optional 250 kg) Power supply: 120/230VAC 50/60 Hz Current consumption: 1.5 A-350W max. (light) or 2.0 A-470W max. (heavy) Colour code frame: grey = RAL 7035 Foam density: 38 Kg/m3  WARRANTY Service: One (1) year Motor: Two (2) years Parts: One (1) year		
H.14	4	units	<b>ERGO CHAIR</b>		
			Safe working load and lifting capacity of 150Kg Choice of height range - 45cm-59cm or 54cm-74cm 360° Swing Around Arm fitted as standard All-Round Height Adjustment Ring beneath seat Foot Support Ring fitted as standard on High Model MC6163 Chrome-finished gas strut & base Seat Pad Dimensions: 400mm x 400mm x 90mm Choice of 15 Standard Upholstery Colors Warranty: 5 years		
H.15	2	units	<b>WORKING TABLE</b>		

**REBIDDING FOR THE SUPPLY, DELIVERY, AND INSTALLATION OF GOODS (FURNITURE AND EQUIPMENT)  
FOR THE NATIONAL ACADEMY OF SPORTS (NAS) – PHASE 1 AT NEW CLARK CITY**

**TECHNICAL SPECIFICATIONS COMPLIANCE FORM**

LOT NO.	ITEMS	UNIT	SPECIFICATIONS	COMPLIANCE	
				Compliant	Non-compliant
<b>PHYSICAL THERAPY &amp; REHABILITATION EQUIPMENT</b>					
			Office table in Melamine finish Wood Grain Cherry finish Contemporary Chamfered edges 25mm thick laminated board with duck nose edging 1.25 inches thick table leg profile With center drawer and side drawer Warranty: 12 months		
<b>H.16</b>	<b>1</b>	<b>unit</b>	<b>HYDRO COLLATOR</b>		
			220V AC, 60Hz, 1,500W Max. Volume: 80 Liters Capacity: 12 Hot Moist Packs Internal Size: 50x38x45cm (WxDxH) External Size: 58.5x47x71cm WARRANTY Service: One (1) year Motor: Two (2) years Parts: One (1) year		
<b>H.17</b>	<b>1</b>	<b>unit</b>	<b>FREEZER</b>		
			3.5 cu. ft WARRANTY Service: One (1) year Motor: Two (2) years Parts: One (1) year		
<b>H.18</b>	<b>2</b>	<b>units</b>	<b>HOTPACKS (ALL SIZES)</b>		
			570x170mm (450g), 395x300mm (850g), 490x300mm (1.15kg), 580x300mm (1.3kg), 580x350mm (1.4kg) Warranty: 12 months		
<b>H.19</b>	<b>10</b>	<b>units</b>	<b>COLDPACKS</b>		
			230x130mm Gel Type Warranty: 12 months		
<b>H.20</b>	<b>1</b>	<b>unit</b>	<b>PARAFFIN WAX BATH</b>		

REBIDDING FOR THE SUPPLY, DELIVERY, AND INSTALLATION OF GOODS (FURNITURE AND EQUIPMENT) FOR THE NATIONAL ACADEMY OF SPORTS (NAS) – PHASE 1 AT NEW CLARK CITY					
TECHNICAL SPECIFICATIONS COMPLIANCE FORM					
LOT NO.	ITEMS	UNIT	SPECIFICATIONS	COMPLIANCE	
				Compliant	Non-compliant
<b><i>PHYSICAL THERAPY &amp; REHABILITATION EQUIPMENT</i></b>					
			Size: 33 * 27 * 19cm Capacity: 2.8L Power: 200w Temperature range: 45-60 degrees Celsius Warranty: 12 months		

**Bidder's Authorized Representative**

\_\_\_\_\_  
Signature over Printed Name

\_\_\_\_\_  
Principal Bidder / Supplier