

**BIDS AND AWARDS COMMITTEE (BAC) FOR GOODS**

**PROCUREMENT FOR THE SUPPLY, DELIVERY AND INSTALLATION OF PHYSICAL THERAPY AND REHABILITATION EQUIPMENT FOR THE NATIONAL ACADEMY OF SPORTS (NAS) – PHASE 1 AT NEW CLARK CITY**

**RESOLUTION NO. BG-PTRE-2022-01**

The **BASES CONVERSION AND DEVELOPMENT AUTHORITY (BCDA)**, through the General Appropriations Act FY 2021 (validity extended pursuant to Republic Act No. 11640) has bid out the **Procurement for the Supply, Delivery and Installation of Physical Therapy and Rehabilitation Equipment for the National Academy of Sports (NAS) – Phase 1 at New Clark City** with an Approved Budget for the Contract (ABC) of **Six Million Six Hundred Thirty-Nine Thousand Pesos and 00/100 (Php6,639,000.00)**, inclusive of all applicable taxes and fees;

**WHEREAS**, the Bids and Awards Committee for Goods (**BAC-G**), through its Secretariat, advertised/posted the Invitation to Bid including the bidding documents on 18 March 2022 in the following:

- a. DBM Philippine Government Electronic Procurement System (PhilGEPS);
- b. BCDA Website; and
- c. In a conspicuous place reserved for the purpose in the premises of BCDA.

**WHEREAS**, BAC-G has conducted a Pre-bid Conference on 25 March 2022 which was attended by the following prospective bidders:

- a. Rehab Ventures And Medical Products, Inc.;
- b. Quality Medical Trading; and
- c. Lorenzo Commodities Corp.;

**WHEREAS**, BAC-G issued Bid Bulletin No. BAC-G-FTME-2022-01 dated 05 April 2022 and Bid Bulletin No. BAC-G-FTME-2022-02 dated 08 April 2022 clarifying queries raised by the prospective bidders during the pre-bid conference and subsequently, via e-mail;

**WHEREAS**, in response to said advertisements, only (1) bidder, Quality Medical Trading submitted its bid before the deadline on 20 April 2022 at 09:00 AM;

**WHEREAS**, during the Opening of Bids on 20 April 2022 at 10:00 AM, BAC-G opened the bid of the Quality Medical Trading and noted the following;

| Bidder                  | Eligibility Requirements | Technical Proposal |
|-------------------------|--------------------------|--------------------|
| Quality Medical Trading | Passed                   | Passed             |

**WHEREAS**, Quality Medical Trading submitted a financial bid that is below the ABC, amounting to **Six Million Five Hundred Ninety Thousand Pesos and 00/100 (Php6,590,000.00)**, inclusive of all applicable taxes and fees, which is;

*The copy of Abstract of Bids is hereto attached as **Annex "A"**;*

**WHEREAS**, in view of the results of the Detailed Evaluation of Bids conducted on 28 April 2022, the BAC-G has declared the bid of **Quality Medical Trading** as ineligible for its failure to comply with the minimum standard requirements per the bidding documents of the project, as shown in the table below:

| REQUIREMENT  | FINDINGS  |
|--|---|
| <b>Product Brochures</b><br>and/or other related documents containing the description and specifications of each item to be offered and/or Certificate from the Manufacturer, certifying compliance in all the specifications of each item to be offered as part of their technical envelope during opening of bids. | Based on the detailed evaluation on the submitted product brochures of <b>Quality Medical Trading</b> , it was observed that:<br><br>(a) One (1) item do not have a brochure and/or other related documents stating/showing the description of the item being offered;<br><br>(b) There are 10 items out of 20 items that did not meet the complete required specifications. <ul style="list-style-type: none"> <li>● Item No. H.1. Anti-gravity treadmill</li> <li>● Item No. H.2. Overhead / ceiling-mounted track and harness</li> <li>● Item No. H.3. Therapeutic ultrasound</li> <li>● Item No. H.4. Portable electrotherapy machine</li> <li>● Item No. H.5. Portable percussion massage gun</li> <li>● Item No. H.12. Plyometric box</li> <li>● Item No. H.13. Treatment table</li> <li>● Item No. H.15. Working table</li> <li>● Item No. H.16. Hydro collator</li> <li>● Item No. H.18. Hot Packs (all sizes)</li> </ul> |
| <b>REMARKS</b>   | <b>FAILED</b>   |

*The copy of Detailed Bid Evaluation is hereto attached as **Annex "B"**;*

**WHEREAS**, BAC-G sent Notice of Ineligibility to **Quality Medical Trading** dated 12 May 2022 informing that its bid is found ineligible due to its failure to comply with the minimum standard requirements per our bidding documents for the project, pursuant to the RIRR of RA 9184;

*The copy of Notice of Ineligibility is hereto attached as **Annex "C"**;*

**WHEREAS**, during the BAC-G meeting on 16 May 2022, the BAC-G recommended to declare a failure of bidding for this project, pursuant to Section 35.1 of the RIRR of RA 9184, to wit:

*"35.1 The BAC shall declare the bidding a failure when: XXX b) **All prospective bidders are declared ineligible;** c) **All bids fail to comply with all the bid requirements or fail post-qualification, XXX"***

**ACCORDINGLY**, we, the members of the Bids and Awards Committee for Goods, hereby **RESOLVE**, as it is hereby **RESOLVED**:

1. To declare a Failure of Bidding for the **Procurement for the Supply, Delivery and Installation of Physical Therapy and Rehabilitation Equipment for the National Academy of Sports (NAS) – Phase 1 at New Clark City**; and
2. To direct the end-user, Special Projects Management Department (SPMD) to conduct a mandatory review and evaluation of the terms, conditions, and specifications of the Bidding Documents, including the cost estimates, and other requirements relative to this procurement, pursuant to Section 35.2 of the RIRR of RA 9184;

**RESOLVED**, at the BCDA Corporate Center Office, Bonifacio Global City, Taguig City, this 23 May 2022.

**BIDS AND AWARDS COMMITTEE (BAC) FOR GOODS**

  
**JOSHUA M. BINGCAN**  
Chairperson

  
**JOCELYN L. CANIONES**  
Vice Chairperson

  
**SAMUEL JOHN L. VIDALLON**  
Member

  
**CHRISTIAN T. DULDULAO**  
Member

  
**RITCHIE P. PACLIBAR**  
Member

  
**EDUARDO R. ROSQUETA**  
Provisional Member

Approved By:

  
**AILEEN ANUNCIACION R. ZOSA**  
Executive Vice President

BACG2022-0081

# **Annex A**

## BASES CONVERSION AND DEVELOPMENT AUTHORITY

**BID OPENING FOR THE PROCUREMENT FOR THE SUPPLY, DELIVERY AND INSTALLATION OF  
PHYSICAL THERAPY AND REHABILITATION CONDITIONING EQUIPMENT  
FOR THE NATIONAL ACADEMY OF SPORTS (NAS) – PHASE 1 AT NEW CLARK CITY  
20 April 2022 / 10:00 AM / BCDA BOARDROOM**

**ABSTRACT OF BIDS (AS READ)  
(ELIGIBILITY AND FINANCIAL DOCUMENTS)**

|   |  |                                |
|---|--|--------------------------------|
| <b>Name of Bidder</b>   |  | <b>Quality Medical Trading</b> |
| <b>Date &amp; Time Submitted (Deadline 20 April 2022 @9:00 AM )</b> |  | <b>20 April 2022 @ 8:57AM</b>  |
| <b>ELIGIBILITY AND FINANCIAL DOCUMENTS</b>                          |  |                                |
|   | <b>Original</b>  | <b>Submitted</b>               |
| <b>CHECKLIST OF TECHNICAL COMPONENT REQUIREMENTS</b>                |  |                                |
| <b>TAB A</b>  | Valid PhilGEPS Certificate of Registration under Platinum Membership (all pages) in accordance with Section 8.5.2 of the IRR<br><br><i>Note: Section 34.3 of the 2016 revised IRR of RA No. 9184 that the conduct of post-qualification includes the verification, validation and ascertainment of the veracity, authenticity and validity of all the Class "A" Eligibility Documents attached to the PhilGEPS Certificate of Platinum Registration and Membership</i> | <b>Passed</b>                  |
| <b>TAB B</b>  | (FORM SF-G&S-19A) <b>Statement of all its ongoing government and private contracts</b> , including contracts awarded but not yet started, if any, whether  | <b>Passed</b>                  |

*je*

*9:00*

|              |   |               |
|--------------|---|---------------|
|              | <p>similar or not similar in nature and complexity to the contract to be bid;</p> <ul style="list-style-type: none"> <li>❖ The Statement of all ongoing contracts requirement is merely a “<b>statement</b>” of all ongoing contracts. It refers to a “statement” to be made by the bidder relative to all its ongoing government and private contracts, and not the actual submission of the physical NOA, NTP or Contract.</li> </ul>   |               |
| <b>TAB C</b> | <p>(FORM SF-G&amp;S-19B) <b>Statement of Single Largest Completed Contract (SLCC). Statement of One (1) COMPLETED</b> government and/or private contract similar in nature to the contract to be bid equivalent to at least fifty percent (50%) of the ABC; or at least two (2) similar completed contracts with the aggregate amount equivalent to at least fifty percent (50%) of the ABC and the largest of these similar contracts must be equivalent to at least half of the percentage (25%) of the ABC as required above. The similar contract shall have been completed within ten (10) years (April 2012 to April 2022) prior to the date of submission and receipt of bids (<i>Section IX, Bidding Forms</i>)</p> <p>The Statement of SLCC to be submitted by the bidder shall attach ANY of the following proofs:</p> <ul style="list-style-type: none"> <li>❖ end user’s acceptance; or</li> <li>❖ official receipt issued for the contract, if completed; or</li> <li>❖ sales invoice issued for the contract, if completed</li> </ul> | <b>Passed</b> |

*jk*

|                     |   |                      |
|---------------------|---|----------------------|
| <p><b>TAB D</b></p> | <p><b><u>Bid Security in ANY of the following:</u></b><br/> Bid Securing Declaration (use <i>Section IX, Bidding Forms</i>);<br/> <b>or</b><br/> Cash or cashier's/manager's check issued by a Universal or Commercial Bank (<u>2% of ABC</u>);<br/> <b>or</b><br/> Bank draft/guarantee or irrevocable letter of credit issued by a Universal or Commercial Bank (<u>2% of ABC</u>);<br/> <b>or</b><br/> Surety bond callable upon demand issued by a surety or insurance company duly certified by the Insurance Commission as authorized to issue such security (5% of the ABC).</p> | <p><b>Passed</b></p> |
| <p><b>TAB E</b></p> | <p><b><u>Conformity with Technical Specifications Compliance (Form)</u></b> duly signed in every page by the principal bidder or the bidder's authorized representative (Section VII )</p>  | <p><b>Passed</b></p> |
|                     | <p><b><u>Conformity with Schedule of Requirements (Form)</u></b> duly signed in every page by the principal bidder or the bidder's authorized representative (Section VI)</p>   | <p><b>Passed</b></p> |
| <p><b>TAB F</b></p> | <p><b><u>Notarized Omnibus Sworn Statement</u></b> in accordance with Section 25.3 of the 2016 Revised IRR of RA 9184, and using the form prescribed in Section VIII. Bidding Forms</p> <p><b>Note:</b> The Omnibus Sworn Statement shall be accompanied by the duly notarized Special Power of Attorney, Board/Partnership Resolution, or Secretary's Certificate, whichever is applicable</p>   | <p><b>Passed</b></p> |
| <p><b>TAB G</b></p> | <p><b><u>Latest Audited Financial Statements, The Supplier's audited financial statements for 2020,</u></b> showing, among others, the Supplier's total and current assets and liabilities, stamped "received" by the BIR or its duly accredited and authorized institutions. (if applicable)</p>   | <p><b>Passed</b></p> |

*jk*  
*9:00*


|              |   |   |
|--------------|---|---|
| <b>TAB H</b> | <b>Computation of Net Financial Contracting Capacity (NFCC)</b> in accordance with ITB Clause 5 ( <i>Section IX, Bidding Forms</i> ) or a Committed Line of Credit (CLC) from a universal or commercial bank which must be at least equal to 10% of the ABC   | <b>Passed</b>   |
| <b>TAB I</b> | If applicable, valid <b>Joint Venture Agreement (JVA)</b> in case the joint venture is already in existence; in the absence of a JVA, <b>duly notarized statements</b> from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the event that the bid is successful, in accordance with Section 23.1(b) of the IRR. | <b>N/A</b>  |
|              | <b>Other documentary requirements under RA No. 9184 (as applicable):</b>  |   |
| <b>TAB J</b> | (For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos) <b>Certification from the relevant government office of their country</b> stating that Filipinos are allowed to participate in government procurement activities for the same item or product.  | <b>N/A</b>  |
| <b>TAB K</b> | <b>Certification from the DTI</b> if the Bidder claims preference as a Domestic Bidder or Domestic Entity   | <b>N/A</b>  |
|              | <b>REMARKS</b>  | <b>ELIGIBLE</b>   |
|              | <b>CHECKLIST OF FINANCIAL COMPONENT REQUIREMENTS</b>  |   |
|              | Approved ABC of the contract is ( <b>Php6,639,000.00</b> ) inclusive of_ VAT and all applicable taxes and fees.   |   |
| <b>TAB A</b> | Original of duly signed and accomplished <b>Financial Bid Form</b>  | <b>Amount in Figures:</b><br><b>Php 6,590,000.00</b><br><br><b>Amount in Words:</b> |



|                  |  |  |
|------------------|--|--|
| <b>TAB<br/>B</b> | Original of duly signed and <b><u>Accomplished Price Schedule/s</u></b><br><br><i>Note:</i><br>❖ <i>Financial Proposal is INCLUSIVE of VAT and all applicable taxes and fees, and</i><br>❖ <i>Bids received is within the APPROVED BUDGET FOR THE CONTRACT (ABC)</i> | <b>Six Million Five Hundred<br/>Ninety Thousand Pesos<br/>and 00/100 only</b><br><br><i>INCLUSIVE of VAT and all applicable<br/>taxes and fees</i> |
|                  | <b>REMARKS:</b>  | <b>SINGLE BID</b>  |

*je*

**BIDS AND AWARDS COMMITTEE FOR GOODS**

  
**JOSHUA M. BINGCANG**  
Chairperson

  
**JOCELYN L. CANIONES**  
Vice Chairperson

  
**SAMUEL JOHN L. VIDALLON**  
Member

  
**ATTY. RITCHIE P. PACLIBAR**  
Member

  
**ATTY. CHRISTIAN T. DULDULAO**  
Member

  
**EDUARDO R. ROSQUETA**  
Provisional Member



# **Annex B**

**INTERNAL MEMO**

Republic of the Philippines  
Office of the President



**FOR THE CHAIRPERSON AND MEMBERS OF THE BAC FOR GOODS**

**FROM : THE TECHNICAL WORKING GROUP**

**DATE : 25 April 2022**

**SUBJECT : Detailed Bid Evaluation Report on the Submitted Bid for the Procurement of Supply, Delivery and Installation of Physical Therapy and Rehabilitation Conditioning Equipment for the National Academy of Sports (NAS)- Phase 1 at New Clark City**

**I. Reference.**

Pursuant to Section 32 of the Revised Implementing Rules and Regulations of Republic Act No. 9184, the Technical Working Group (TWG) of the Bids and Awards Committee for Goods (BAC-G) conducted a detailed evaluation of the submitted bid by, first, determining the eligibility of the participating bidders through their submitted technical documents and second, determining the Lowest Calculated Bid considering both completeness of bid and arithmetical correction of submitted financial bids.

**II. Background**

On 20 April 2022, BAC-G conducted the Opening of Bids and Preliminary Examination of Bids for the Procurement for the Supply, Delivery, and Installation of Physical Therapy and Rehabilitation Conditioning Equipment for the National Academy of Sports (NAS)- Phase 1 at New Clark City. Only one (1) bidder, **QUALITY MEDICAL TRADING**, submitted a bid for the said procurement.

The eligibility and technical documents submitted by the lone bidder were opened to determine its compliance with the requirement. **QUALITY MEDICAL TRADING, PASSED** all the required eligibility and technical components for this procurement, thus, its financial proposal was opened and found to be within the approved budget for the contract set by BCDA and was declared **ELIGIBLE**.

**Technical Working Group (TWG)** conducted a detailed Evaluation of the bid proposal submitted by the lone eligible bidder to determine the Single Calculated Bid for this project.

**III. Findings.**

The **ELIGIBILITY DOCUMENTS** submitted by the Eligible bidder were carefully examined, evaluated, verified and validated and shown in this report as **Table 1**.

**Table 1**

| ELIGIBILITY DOCUMENTS   | QUALITY MEDICAL TRADING   |
|---|---|
| <p><b>PhilGEPS Certificate of Registration under Platinum Membership</b></p> <p><i>Note: Section 34.3 of the 2016 revised IRR of RA No. 9184 that the conduct of post-qualification includes the verification, validation and ascertainment of the veracity, authenticity and validity of all the Class "A" Eligibility Documents attached to the PhilGEPS Certificate of Platinum Registration and Membership</i></p>  | <p><b>Platinum Membership</b><br/>PhilGEPS Reference No:<br/>201009356971763198881<br/>Validity:15 -Oct-2022</p> <p><b>PASSED</b></p>   |
| <p>(FORM SF-G&amp;S-19A) <b>Statement of all its ongoing government and private contracts</b>, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid.</p>  | <p><b>Statement of All On-Going Contracts:</b></p> <p><b>Amount of Outstanding Contracts</b><br/>Php 1,350,000.00</p> <p><b>PASSED</b></p>  |
| <p>(FORM SF-G&amp;S-19B) <b>Statement of Single Largest Completed Contract (SLCC).</b></p> <p><b>Statement of One (1) COMPLETED</b> government and/or private contract similar in nature to the contract to be bid equivalent to at least fifty percent (50%) of the ABC; or at least two (2) similar completed contracts with the aggregate amount equivalent to at least fifty percent (50%) of the ABC and the largest of these similar contracts must be equivalent to at least half of the percentage (25%) of the ABC as required above. The similar contract shall have been completed within <b>ten (10) years (April 2012 to April 2022)</b> prior to the date of submission and receipt of bids (<i>Section IX, Bidding Forms</i>)</p> <p>The Statement of SLCC to be submitted by the bidder shall attach ANY of the following proof:</p> <ul style="list-style-type: none"> <li>❖ end user's acceptance; or</li> <li>❖ official receipt issued for the contract, if completed; or</li> <li>❖ sales invoice issued for the contract, if completed</li> </ul> | <p><b>SLCC:</b><br/><b>Southern Philippines Medical Center</b></p> <p><b>One Lot Brand New Rehab Equipment</b></p> <p>Contract Duration: (30) days<br/>Date of Contract: 04 March 2020<br/>Contract Amount: Php 8,790,000.00</p> <p><i>Supported by:</i></p> <p>Sales Invoice Nos.<br/>3359,3360,3361,3362,3363,3364,336,3366, dated 23 June 2020, Total Amount PH 8,790,000.00</p> <p>Notice of Award dated 27 Dec- 2019</p> <p>Contract Agreement between Southern Philippines Medical Center and Quality Medical Trading, notarized 07 February 2020</p> |

|   |   |
|---|---|
|   | <p>Purchaser Order No. 2020-02-0411<br/>Date: 13 Feb-2020</p> <p>Acceptance Certificate 30 July 2020<br/>Signed by: Joy C. Villanueva, End user</p> <p>Collection Receipt No 2724 dated 23<br/>Sept 2020, Amount Php 8,231,207.15</p> <p><b>PASSED</b></p>  |
| <p><b><u>Bid Security in ANY of the following:</u></b> (use <i>Section IX, Bidding Forms</i> in case of Bid Securing Declaration) or<br/>Cash or cashier's/manager's check issued by a Universal or Commercial Bank; or<br/>Bank draft/guarantee or irrevocable letter of credit issued by a Universal or Commercial Bank (<u>2% of ABC</u>); or<br/>Surety Bond with a Certificate from the Insurance Commission (5% of the ABC)</p> | <p>Bid Securing Declaration duly signed by the bidder's authorized representative, Mr. Joey Albert R. Falame</p> <p>Date Notarized: 05 April 2022</p> <p><b>PASSED</b></p>  |
| <p><b><u>Conformity with the Technical Specifications Compliance Form</u></b></p>   | <p>The bidder stated "<b>Comply</b>" with all the requirements for the project and the form is duly signed by the bidder's authorized representative, Mr. Joey Albert R. Falame</p> <p><b>PASSED</b></p>  |
| <p><b><u>Conformity with the Schedule of Requirements</u></b> (use <i>Section VI</i>) duly signed in every page by the principal bidder or the bidder's authorized representative</p>   | <p>Conformity with Schedule of Requirements duly signed by the bidder's authorized representative, Mr. Joey Albert R. Falame</p> <p>Delivery Schedule: Within One Hundred Twenty Days (120) days from the receipt of Notice to Proceed</p> <p><b>PASSED</b></p> <p><b>Additional Submission:</b></p> <ul style="list-style-type: none"> <li>● <b>Production /Delivery Schedule</b></li> <li>● <b>Manpower Requirements</b></li> <li>● <b>Statement of After Sales Support Availability</b></li> <li>● <b>Certificate of After Sales Service</b></li> <li>● <b>Manufacturer's</b></li> </ul> |

|   |  |
|---|--|
|   | <p style="text-align: center;"><b>Authorization Form</b></p> <ul style="list-style-type: none"> <li>● <b>ITR</b></li> </ul>  |
| <p><b><u>Notarized Omnibus Sworn Statement</u></b> in accordance with Section 25.3 of the 2016 Revised IRR of RA 9184, and using the form prescribed in Section VIII. Bidding Forms</p> <p><b>Note:</b> The Omnibus Sworn Statement shall be accompanied by the duly notarized Special Power of Attorney, Board/Partnership Resolution, or Secretary's Certificate, whichever is applicable</p> | <p>Omnibus Sworn Statement signed by the bidder's authorized representative -Mr. Joey Albert R. Falame , duly notarized on 05 April 2022</p> <p>Special Power of Attorney, duly notarized on 05 April 2022</p> <p><b>PASSED</b></p>  |
| <p><b><u>Product Brochures</u></b> and/or other related documents containing the description and specifications of each item to be offered and/or Certificate from the Manufacturer, certifying compliance in all the specifications of each item to be offered as part of their technical envelope during opening of bids</p>  | <p><b><u>Product Brochure</u></b> containing the descriptions and specification of the items to be offered.</p> <p>Based on the detailed evaluation on the submitted product brochures of QUALITY MEDICAL TRADING, the TWG found that:</p> <p>(a) 1 item do not have Product Brochures and/or other related documents containing the description and specifications of each item to be offered and/or Certificate from the Manufacturer, certifying compliance in all the specifications of each item to be offered as part of their technical envelope during opening of bids;</p> <p>(b) There are 10 items out of 20 items that do not meet the complete required specifications.</p> <p>Item No. H.1. Anti-gravity treadmill</p> <p>Item No. H.2. Overhead / ceiling-mounted track and harness</p> <p>Item No. H.3. Therapeutic ultrasound</p> <p>Item No. H.4. Portable electrotherapy machine</p> <p>Item No. H.5. Portable percussion massage gun</p> |



|  |  |
|--|--|
|  | <p>Item No. H.12. Plyometric box</p> <p>Item No. H.13. Treatment table</p> <p>Item No. H.15. Working table</p> <p>Item No. H.16. Hydro collator</p> <p>Item No. H.18. Hot Packs (all sizes)</p> <p>A detailed evaluation of the submitted product brochure and other related documents is attached in this Report as <b>Annex A</b></p> <p><b>FAILED</b></p> |
| <p><b><u>Audited Financial Statements for 2020</u></b>, showing, among others, the Supplier's total and current assets and liabilities, stamped "received" by the BIR or its duly accredited and authorized institutions</p>   | <p><b>Audited Financial Statement for the Year Ended December 31, 2020</b></p> <p>Stamped "received" by the BIR on 30 April 2021</p> <p><b>PASSED</b></p>  |
| <p><b><u>Computation of Net Financial Contracting Capacity (NFCC)</u></b> in accordance with ITB Clause 5 (<i>Section IX, Bidding Forms</i>) or a Committed Line of Credit (CLC) from a universal or commercial bank which must be at least equal to 10% of the ABC</p>  | <p><b>NFCC (as computed)</b></p> <p>Current Asset - Current Liabilities x 15 (multiplier) - List of All On-going project (Outstanding)</p> <p>5,804,826.00 - 95,997.00 x 15 - 1,350,000.00</p> <p><b>Php84,282,435.00</b></p> <p><b>PASSED</b></p>   |
| <p>If applicable, valid <b><u>Joint Venture Agreement (JVA)</u></b></p>  | <p>N/A</p>   |
| <p><b>Other documentary requirements under RA No. 9184,</b></p>  |  |
| <p>(For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos) <b><u>Certification from the relevant government office of their country</u></b> stating that Filipinos are allowed to participate in government procurement activities for the same item or product.</p> | <p>N/A</p>   |

|   |                   |
|---|-------------------|
| <b>Certification from the DTI</b> if the Bidder claims preference as a Domestic Bidder or Domestic Entity | N/A               |
| <b>REMARKS</b>  | <b>INELIGIBLE</b> |

The **FINANCIAL PROPOSAL** submitted by **QUALITY MEDICAL TRADING** were evaluated by the TWG and are shown below as **Table 2**.

**Table 2**

| <b>FINANCIAL PROPOSAL</b>  | <b>Bid Price Submitted by QUALITY MEDICAL TRADING</b>  | <b>Bid as Computed by the TWG</b>  |
|--|--|--|
| <b>ABC</b><br><b>Php 6,639,000.00</b><br>(inclusive of all applicable taxes and fees)                  | <b><u>Amount in figures</u></b><br><b>Php6,590,000.00</b><br><br><b><u>Amount in Words</u></b><br><b>Six Million Five Hundred Ninety Thousand Pesos and 00/100 Only</b><br><br><i>INCLUSIVE of VAT and all applicable taxes and fees</i> | <b><u>Amount in figures</u></b><br><b>Php6,590,000.00</b><br><br><b><u>Amount in Words</u></b><br><b>Six Million Five Hundred Ninety Thousand Pesos and 00/100 Only</b><br><br><i>INCLUSIVE of VAT and all applicable taxes and fees</i> |
| <b>REMARKS</b> ( <i>The financial bid is within the approved budget for the contract set by BCDA</i> ) | <b>SINGLE CALCULATED BID</b>   |  |


#### **IV. Recommendations.**

Based on the conducted detailed evaluation on the technical documents and financial proposal submitted by the ELIGIBLE bidder, the Technical Working Group recommend the approval of the following:

1. To disqualify the bid of **QUALITY MEDICAL TRADING** for non-submission of the brochure for Item 1 and non-compliance of the required specifications for 10 Items; and
2. To declare a failure of bidding for the Procurement of Supply, Delivery and Installation of Physical Therapy and Rehabilitation Conditioning Equipment for the National Academy of Sports (NAS)- Phase 1 at New Clark City.

We submit the above cited information and evaluation to the Committee for consideration.

**The Technical Working Group**


  
**VICENTA M. NATIVIDAD**  
TWG Member

  
**DONALD G. TOLENTINO**  
TWG Member

  
**JOAN GRACE N. ORTILLA**  
Provisional Member

  
**BILLY JANE C. CAVINTA**  
Provisional Member

  
**MARVIN CARREON**  
Provisional Member

  
**ALMIRA S. CLARIANES**  
Head, TWG


# Annex “A”

**PROCUREMENT FOR THE SUPPLY, DELIVERY, AND INSTALLATION OF PHYSICAL THERAPY & REHABILITATION EQUIPMENT FOR THE NATIONAL ACADEMY OF SPORTS (NAS) – PHASE 1 AT NEW CLARK CITY**

**TECHNICAL SPECIFICATIONS COMPLIANCE FORM**

| NO. | QTY. | UNIT | SPECIFICATIONS | SUBMITTED PRODUCT BROCHURE | REMARKS (Review of technical specification as to compliance and completeness) |
|-----|------|------|----------------|----------------------------|---|
|-----|------|------|----------------|----------------------------|---|

**PHYSICAL THERAPY & REHABILITATION EQUIPMENT**

|     |   |     |  |   |   |
|-----|---|-----|--|---|---|
| H.1 | 1 | set | <p><b>ANTI-GRAVITY TREADMILL</b></p> <p><b>CAPACITY</b></p> <ul style="list-style-type: none"> <li>Fits individuals from 4'8" (142 cm) to 6'4" (193 cm); 18.5" (47 cm) hip width, 58" (147 cm) hip circumference.</li> </ul> <p><b>PERFORMANCE</b></p> <ul style="list-style-type: none"> <li>User weight capacity: 85 - 400 pounds (181.4 kg)</li> <li>Body Weight Range Adjustment:             <ul style="list-style-type: none"> <li>o Up to 320 lbs (145.2 kg) 20% – 100% of user's body weight</li> <li>o &gt;320 lbs (145.2 kg) 35% - 100% of user's body weight</li> </ul> </li> <li>Running surface area:             <ul style="list-style-type: none"> <li>- 20-22 inches (51-56 cm) wide</li> <li>- 58-62 inches (147-158 cm) long</li> </ul> </li> <li>Speed range:             <ul style="list-style-type: none"> <li>- Forward M320/F320 0 – 12 mph (19.3 km/hr)</li> <li>- Reverse M320/F320 3 mph (4.8 km/hr)</li> </ul> </li> <li>Elevation: M320/F320 0 - 15%</li> </ul> <p><b>DIMENSIONS</b></p> <ul style="list-style-type: none"> <li>Length: 84 inches (213 cm)</li> <li>Width: 38 inches (96.5 cm)</li> <li>Height: 74 inches (188 cm)</li> <li>Weight: 550-750 pounds (249-340 kg), approximately •</li> <li>Step-up height: 8" (20 cm)</li> </ul> <p><b>WARRANTY</b></p> <p>Service: One (1) year<br/>             Motor: Two (2) years<br/>             Parts: One (1) year</p> |  | <p align="center"><b>NON-COMPLIANT</b></p> <ol style="list-style-type: none"> <li>The following specifications are not mentioned in the description of the offered product:             <ul style="list-style-type: none"> <li><b>CAPACITY</b> <ul style="list-style-type: none"> <li>Fits individuals from 4'8" (142 cm) to 6'4" (193 cm); 18.5" (47 cm) hip width, 58" (147 cm) hip circumference.</li> <li>Running surface area:                     <ul style="list-style-type: none"> <li>- 20-22 inches (51-56 cm) wide</li> <li>- 58-62 inches (147-158 cm) long</li> </ul> </li> <li>Speed range:                     <ul style="list-style-type: none"> <li>- Forward M320/F320 0 – 12 mph (19.3 km/hr)</li> <li>- Reverse M320/F320 3 mph (4.8 km/hr)</li> </ul> </li> <li>Elevation: M320/F320 0 - 15%</li> </ul> </li> <li><b>DIMENSIONS</b> <ul style="list-style-type: none"> <li>Length: 84 inches (213 cm)</li> <li>Width: 38 inches (96.5 cm)</li> <li>Height: 74 inches (188 cm)</li> <li>Weight: 550-750 pounds (249-340 kg), approximately •</li> <li>Step-up height: 8" (20 cm)</li> </ul> </li> </ul> </li> <li>With manufacturer certification stating that the bidder, Quality Medical Trading, is an authorized distributor (or reseller) of the products offered in this bidding and</li> </ol> |
|-----|---|-----|--|---|---|



that we hereby authorize and support their submission of Bid to the Bases Conversion and Development Authority.



For BAC Deliberation





|     |   |       |                                 |  |  |
|-----|---|-------|---------------------------------|--|--|
| H.4 | 2 | units | PORTABLE ELECTROTHERAPY MACHINE |  |  |
|-----|---|-------|---------------------------------|--|--|



|     |   |       |   |   |   |
|-----|---|-------|---|---|---|
|     |   |       | <p>Numbers of channels: 2 non-independent channels<br/>Intensity: 0-100 mA per channel<br/>Wave form: symmetrical biphasic pulse, 100% compensated Constant current: up to a resistance of 1000 ohm<br/><b>Frequency: 1 – 150 Hz</b><br/>Pulse width (single phase): 50-400 µs Total pulse width 100-800 µs<br/>WARRANTY<br/>Service: One (1) year Motor: Two (2) years Parts: One (1 year)</p> |     | <p>NON-COMPLIANT</p> <ol style="list-style-type: none"> <li>The following specifications are not mentioned in the description of the offered product: <ul style="list-style-type: none"> <li>Frequency: 1 – 150 Hz</li> </ul> </li> </ol>   |
| H.5 | 2 | units | <b>PORTABLE PERCUSSION MASSAGE GUN</b>  |   |   |
|     |   |       | <p>Powered by a long-lasting lithium ion battery Cordless<br/>Quiet Glide technology<br/>Weight: 2.5 lbs<br/>Battery Life: Up to 3 hours<br/>Battery Type: Lithium ion<br/><b>Speed: Up to 3,200 percussions per minute</b><br/>Interchangeable heads: 5</p> <p>WARRANTY<br/>Service: One (1) year<br/>Motor: Two (2) years<br/>Parts: One (1 year)</p>   |  | <p>NON-COMPLIANT</p> <ol style="list-style-type: none"> <li>The following specifications are not mentioned in the description of the offered product: <ul style="list-style-type: none"> <li>Speed: Up to 3,200 percussions per minute</li> </ul> </li> <li>With manufacturer certification stating that the bidder, Quality Medical Trading, is an authorized distributor (or reseller) of the products offered in this bidding and that we hereby authorize and support their submission of Bid to the Bases Conversion and Development Authority.</li> </ol> <p>For BAC Deliberation</p> |
| H.6 | 1 | set   | <b>THERMAL REGULATED PNEUMATIC COMPRESSION</b>  |   |   |

|            |          |             |   |  |                  |
|------------|----------|-------------|---|--|------------------|
|            |          |             | <p>Three settings of cyclical pneumatic (air) compression<br/>         -High (5 to 75 mm Hg) Approximately 2 to 3 minutes of inflation and 1 minute of deflation.<br/>         -Medium (5 to 50 mm Hg) Approximately 2 to 3 minutes of inflation and 1 minute of deflation.<br/>         -Low (5 to 15 mm Hg) Approximately 4 to 5 minutes of inflation and 1 minute of deflation.<br/> <b>ADJUSTABLE SET-POINT COLD:</b> between 35°F to 50°F<br/> <b>DIGITAL TIMER &amp; PRESET PROTOCOLS:</b> up to 90minutes<br/>         Dimensions: 7.5" W x 16" L x 7.75" H (19cm W x 40.6cm L x 19.7cm H)<br/>         Weight: (Empty) 7.3 lbs (3.3kg)<br/>         Hose Connections: 1 port</p> <p><b>WARRANTY</b><br/>         Service: One (1) year<br/>         Motor: Two (2) years<br/>         Parts: One (1) year</p> |  <p><b>COLD &amp; COMPRESSION UNIT</b></p> <p><b>GIROPO 2.3 SETTINGS &amp; SPECIFICATIONS</b><br/> <b>ADJUSTABLE COMPRESSION</b><br/>         Three settings of cyclical pneumatic (air) compression or the option of no compression:<br/>         - High (5 to 75 mm Hg)<br/>         - Approximately 2 to 3 minutes of inflation and 1 minute of deflation.<br/>         - Medium (5 to 50 mm Hg)<br/>         - Approximately 2 to 3 minutes of inflation and 1 minute of deflation.<br/>         - Low (5 to 15 mm Hg)<br/>         - Approximately 4 to 5 minutes of inflation and 1 minute of deflation.<br/>         - Note</p> <p><b>ADJUSTABLE SET-POINT COLD</b><br/>         Provides constant temperature across the wrap, improving patient comfort and safety. Cold therapy between 35°F to 50°F (before control unit reservoir full of ice).</p> <p><b>DIGITAL TIMER &amp; PRESET PROTOCOLS</b><br/>         For convenient engagement and treatment of time, without having to continually monitor the system, the Timer can be set for a specific treatment time up to 90 minutes or use one of the available programs which continuously alternate between treatment and rest cycles. Available preset programs include:<br/>         - Program 1: 30 minutes on, 30 minutes sleep, No pressure.<br/>         - Program 2: 30 minutes on, 30 minutes sleep, Low pressure.<br/>         - Program 3: 30 minutes on, 30 minutes sleep, Medium pressure.<br/>         - Program 4: 30 minutes on, 60 minutes sleep, No pressure.<br/>         - Program 5: 30 minutes on, 60 minutes sleep, Low pressure.<br/>         - Program 6: 30 minutes on, 60 minutes sleep, Medium pressure.</p> <p><b>TECHNICAL SPECIFICATIONS</b><br/>         - Dimensions: 7.5" W x 16" L x 7.75" H (29cm W x 40.6cm L x 19.7cm H)<br/>         - Weight: (Empty) 7.3 lbs (3.3kg)<br/>         - Hose Connections: 1 port</p> <p><i>J.L.</i></p> <p><b>JERRY ALBERT R. TALAME</b><br/>         Sales Service Engineer<br/>         Mobile No. 09258338336<br/>         Email: jerryalbertalame@gmail.com</p> | <p>COMPLIANT</p> |
| <p>H.7</p> | <p>1</p> | <p>unit</p> | <p><b>PARALLEL BARS</b></p>   |  |                  |
|            |          |             | <p>7 ft. Platform Mounted Parallel Bars<br/>         Width Range: 18" - 28"<br/>         Height Range: 26" - 39"<br/>         Warranty: 1 year</p>  |  <p><b>PARALLEL BARS</b></p> <p>These Parallel Bars can be bought as floor mounted, wall mounted, or platform mounted bars. All bars are stainless steel finished with bumper ends. Height and width of bars are adjustable. The support bars are ultra-heavy telescoping steel tubes for maximum stability.</p> <p><b>FEATURES:</b></p> <ul style="list-style-type: none"> <li>- Made of stainless steel</li> <li>- Foldable</li> <li>- Floor Mounted</li> <li>- Height Range: 26" - 39", Width Range: adjusts out to 28 inches</li> <li>- Capacity is 400 pounds</li> <li>- Height controlled by dampers for easy adjustment</li> <li>- Any play is eliminated by a second knob at each upright</li> </ul> <p><b>SPECIFICATIONS:</b></p> <ul style="list-style-type: none"> <li>- Capacity: 400lbs</li> <li>- Height: 26 inches - 39 inches</li> <li>- Length: 7 feet</li> <li>- Width: 28 inches</li> <li>- Locally manufactured</li> </ul> <p><i>J.L.</i></p> <p><b>JERRY ALBERT R. TALAME</b><br/>         Sales Service Engineer<br/>         Mobile No. 09258338336<br/>         Email: jerryalbertalame@gmail.com</p>   | <p>COMPLIANT</p> |

| H.8  | 1 | set | MEDICINE BALLS (ALL SIZES)   |   |           |
|------|---|-----|--|---|-----------|
|      |   |     | Physio ball, Ø 85 mm<br>Physio ball, Ø 95 mm<br>Warranty: 2 years  | <p style="text-align: center;"><b>Togu Touch Ball</b></p>  <p>             - Togu Touch Ball, 2.5" (6.35 cm)<br/>             - Togu Touch Ball, 4" (10.16 cm)           </p> <ul style="list-style-type: none"> <li>- Touch Ball stimulates nociceptor perception.</li> <li>- Little ones will find the tactile sensation endlessly fascinating as they work on squeezing, grabbing and just holding the ball in their little hands.</li> <li>- Even when wet, the ball will be easy to catch.</li> <li>- Rubbing it on arms and leg trigger points will allow muscular release, reducing pain and relaxing contracted muscles, improving blood oxygen and lymphatic circulation.</li> <li>- Not just for arms and legs, the ball is easy enough to lay down on to target areas in the shoulders and back.</li> <li>- The ball can also be used under feet, literally.</li> <li>- Shows off while sitting, using the foot to roll the ball around provides a great self-powered massage to the bottom of the foot.</li> <li>- Doesn't need for just one.</li> <li>- Most balls become more fun and more used, no matter the age of the user.</li> <li>- While the Touch Ball arrives inflated, it does have an inflation valve so users can inflate and deflate based on personal preference and need.</li> <li>- The Touch Ball is latex-free and easy to clean, needing just a damp cloth and mild soap. Please note, artificial colors not included.</li> <li>- Dimensions: 5.5" x 9.5" x 3.5"</li> <li>- Weight: 0.25 lbs.</li> </ul> <p style="text-align: right;"> <b>JOY ALBERT B. PALAME</b><br/>             Sales Service Director<br/>             Mobile No. 49255338336<br/>             Email: joeyalbertfalame@gmail.com           </p> | COMPLIANT |
| H.9  | 1 | set | VINYL COATED DUMBBELL  |   |           |
|      |   |     | Dumb-bell, 1 kg, set of 2<br>Dumb-bell, 2 kg, set of 2<br>Dumb-bell, 3 kg, set of 2<br>Dumb-bell, 4 kg, set of 2<br>Dumb-bell, 5 kg, set of 2<br>Warranty: 2 years | <p style="text-align: center;"><b>VINYL COATED DUMBBELLS</b></p>  <p><b>FEATURES:</b></p> <ul style="list-style-type: none"> <li>- Ideal for upper body conditioning.</li> <li>- Dumbbells are perfectly balanced cast iron, and vinyl-coated for easy grip and safety in use.</li> <li>- Weight is embossed on each end.</li> <li>- Pairs 1lb to 30lbs.</li> </ul> <p style="text-align: right;"> <b>JOY ALBERT B. PALAME</b><br/>             Sales Service Director<br/>             Mobile No. 49255338336<br/>             Email: joeyalbertfalame@gmail.com           </p>   | COMPLIANT |
| H.10 | 1 | set | CUFF WEIGHTS   |   |           |



|      |   |     |                         |
|------|---|-----|-------------------------|
| H.11 | 1 | set | <b>RESISTANCE BANDS</b> |
|------|---|-----|-------------------------|

Rep exercise band level 1 peach 5,5 m  
 Rep exercise band level 2 orange 5,5 m  
 Rep exercise band level 3 green 5,5 m  
 Rep exercise band level 4 blue 5,5 m  
 Rep exercise band level 5 purple 5,5 m  
 Rep exercise band level 1 peach 45 m  
 Rep exercise band level 2 orange 45 m  
 Rep exercise band level 3 green 45 m  
 Rep exercise band level 4 blue 45 m  
 Rep exercise band level 5 purple 45 m  
 Dispenser for 5 rolls

Warranty: Free from manufacturing defects for 90 days

**Val-u-Band Berry Colors and REP Band** LATEX-FREE band  
 Even the colors of CatGrip!

**Val-u-Band Berry Colors Latex-free exercise band**

**Twin-Pak™ 100-yard dispenser box**  
**most economical choice**

|         |        |        |
|---------|--------|--------|
| Level 1 | light  | 16-020 |
| Level 2 | light  | 16-021 |
| Level 3 | light  | 16-022 |
| Level 3 | medium | 16-023 |
| Level 4 | heavy  | 16-024 |
| Level 5 | heavy  | 16-025 |
| Level 5 | heavy  | 16-026 |
| Level 5 | heavy  | 16-027 |
| Level 5 | heavy  | 16-028 |
| Level 5 | heavy  | 16-029 |
| Level 5 | heavy  | 16-030 |

**50-yard dispenser box**

|         |        |        |
|---------|--------|--------|
| Level 1 | light  | 16-020 |
| Level 2 | light  | 16-021 |
| Level 3 | light  | 16-022 |
| Level 3 | medium | 16-023 |
| Level 4 | heavy  | 16-024 |
| Level 5 | heavy  | 16-025 |
| Level 5 | heavy  | 16-026 |
| Level 5 | heavy  | 16-027 |
| Level 5 | heavy  | 16-028 |
| Level 5 | heavy  | 16-029 |
| Level 5 | heavy  | 16-030 |

**45-yard dispenser box**

|         |        |        |
|---------|--------|--------|
| Level 1 | light  | 16-010 |
| Level 2 | light  | 16-011 |
| Level 3 | light  | 16-012 |
| Level 3 | medium | 16-013 |
| Level 4 | heavy  | 16-014 |
| Level 5 | heavy  | 16-015 |
| Level 5 | heavy  | 16-016 |
| Level 5 | heavy  | 16-017 |
| Level 5 | heavy  | 16-018 |
| Level 5 | heavy  | 16-019 |
| Level 5 | heavy  | 16-020 |

**REP Band Latex-free exercise band**

**Twin-Pak™ 100-yard dispenser box**  
**most economical choice**

|         |        |        |
|---------|--------|--------|
| Level 1 | light  | 16-070 |
| Level 2 | light  | 16-071 |
| Level 3 | medium | 16-072 |
| Level 4 | heavy  | 16-073 |
| Level 5 | heavy  | 16-074 |
| Level 5 | heavy  | 16-075 |

**50-yard dispenser box**

|         |        |        |
|---------|--------|--------|
| Level 1 | light  | 16-070 |
| Level 2 | light  | 16-071 |
| Level 3 | medium | 16-072 |
| Level 4 | heavy  | 16-073 |
| Level 5 | heavy  | 16-074 |
| Level 5 | heavy  | 16-075 |


**45-yard dispenser box**

|         |        |        |
|---------|--------|--------|
| Level 1 | light  | 16-070 |
| Level 2 | light  | 16-071 |
| Level 3 | medium | 16-072 |
| Level 4 | heavy  | 16-073 |
| Level 5 | heavy  | 16-074 |
| Level 5 | heavy  | 16-075 |



Fabrication Enterprises, PO Box 1000, White Plains, New York 10602 USA  
 Tel: 914-431-3836 • 914-345-8998 • Online@fabul.com • Fax: 914-431-0275 • 914-345-8888


**JOEY ALBERT R. PALAMÉ**  
 Sales Service Engineer  
 Mobile No. (912)8338336  
 Email: joeyalbertpalame@gmail.com

COMPLIANT


|      |   |       |  |   |  |
|------|---|-------|--|---|--|
| H.12 | 2 | set   | <b>PLYOMETRIC BOX</b>  |   |  |
|      |   |       | <p>Heavy-duty firm foam construction allows for added stability Soft material helps prevent injury<br/>         Slip-free surface<br/>         No assembly required<br/>         Rotate the box for more challenging heights Overall Height: 16"<br/>         Foam: Foam<br/>         Overall Width: 18"<br/> <b>Weight Capacity: 330 lbs. Overall Length 20" Product Weight: 24 lbs.</b><br/>         Warranty: 5 years</p> | <p>3 in 1 Foam Plyo Box, Plyometric Box Platform</p>  <p><b>Product details</b></p> <p>Soft Plyo Box is ideal for plyometric training and strength and conditioning workouts. Constructed of ultra-dense foam and covered by anti-slip PVC leather, this box protects you from getting injured and absorbs the impacts or stress put on your joints or knees. Unlike the wooden or steel version, the Soft Plyo Box provides a safer and more comfortable landing platform. With this single Ply Box, you can perform a wide range of exercises besides plyometric exercises like push-ups, squats, dips, or step-ups. Our light soft Ply box is easy to use and super convenient since you can flip, drag or push and move it anywhere for your workout. Moreover, you can also take your workout to a higher level by simply rotating the box for a higher setting which means requiring extra efforts to jump and burning calories much faster.</p> <ul style="list-style-type: none"> <li>• Ultra-dense foam construction and PVC leather</li> <li>• Adjustable at three different heights</li> <li>• Perfect for box jumps, step-ups, plyometric exercises</li> </ul> <p><b>Specifications</b></p> <p>Assembled Product Dimensions (L x W x H)<br/>         16.54 x 18.70 x 20.87 inches</p> <p><i>J.L.</i></p> <p>JOEY ALBERT R. FALAME<br/>         Sales Service Engineer<br/>         Mobile No. 09258338336<br/>         Email: joeyalbertfalame@gmail.com</p> | <p>NON-COMPLIANT</p> <p>1. The following specifications are not mentioned in the description of the offered product:</p> <ul style="list-style-type: none"> <li>• Weight Capacity: 330 lbs. Overall Length 20" Product</li> <li>• Weight: 24 lbs.</li> </ul> |
| H.13 | 1 | units | <b>TREATMENT TABLE</b>   |   |  |





|             |          |              |  |  |  |
|-------------|----------|--------------|--|--|--|
|             |          |              | <p>Size tabletop (lxw): 195 - 209 x 67 - 70 cm<br/>         Height adjustment: approximately 48,5-105,5 cm<br/> <b>Lifting time (min.-max.): approximately 35 sec.</b><br/>         Lifting capacity: 150 kg (optional 250 kg)<br/> <b>Power supply: 120/230VAC 50/60 Hz</b><br/> <b>Current consumption: 1.5 A-350W max. (light) or 2.0 A-470W max. (heavy) Colour code frame: grey = RAL 7035</b><br/> <b>Foam density: 38 Kg/m3</b></p> <p>WARRANTY<br/>         Service: One (1)<br/>         year Motor: Two (2)<br/>         years Parts: One (1)<br/>         year)</p> | <p><b>Treatment Bed CY-C107F</b></p>  <p><b>PRODUCT FEATURES:</b></p> <ul style="list-style-type: none"> <li>• Double cylinder on the head</li> <li>• 4 retractable luxury wheels</li> <li>• 4 foot pads for adjusting the level</li> <li>• Medical PVC leather: fireproof, waterproof, antibacterial, mildew proof, oil proof, wear-resistant</li> </ul> <p><b>SPECIFICATIONS:</b></p> <ul style="list-style-type: none"> <li>• Size: 1950 x 700 x 480/920mm</li> <li>• Height adjustment: 490-920mm</li> <li>• Head adjustment: 30° - 33°</li> <li>• Control the lift at any position of the foot switch</li> <li>• Load bearing: 250kg</li> </ul> <p>JOEY ALBERT R. PALAME<br/>         Sales Service Engineer<br/>         Mobile No. 09258338336<br/>         Email: joeyalbert@me.com</p> | <p>NON-COMPLIANT</p> <p>1. The following specifications are not mentioned in the description of the offered product:</p> <ul style="list-style-type: none"> <li>• Lifting time (min.-max.): approximately 35 sec.</li> <li>• Power supply: 120/230VAC 50/60 Hz</li> <li>• Current consumption: 1.5 A-350W max. (light) or 2.0 A- 470W max. (heavy) Colour code frame: grey = RAL 7035</li> <li>• Foam density: 38 Kg/m3</li> </ul> |
| <p>H.14</p> | <p>4</p> | <p>units</p> | <p><b>ERGO CHAIR</b></p>   |  |  |
|             |          |              | <p>Safe working load and lifting capacity of 150Kg<br/>         Choice of height range - 45cm-59cm or 54cm-74cm<br/>         360° Swing Around Arm fitted as standard<br/>         All-Round Height Adjustment Ring beneath seat<br/>         Foot Support Ring fitted as standard on High Model<br/>         MC6163 Chrome-finished gas strut &amp; base<br/>         Seat Pad Dimensions: 400mm x 400mm x 90mm<br/>         Choice of 15 Standard Upholstery Colors<br/>         Warranty: 5 years</p>   | <p><b>Multi Procedures Stool with 360° Swing Arm</b></p>  <p>• Safe working load and lifting capacity of 150kg<br/>         • Choice of height range - 45cm-59cm or 54cm-74cm<br/>         • 360° Swing Around Arm fitted as standard<br/>         • All-Round Height Adjustment Ring beneath seat<br/>         • Chrome-finished gas strut &amp; base<br/>         • Seat Pad Dimensions: 400mm x 400mm x 90mm</p> <p>JOEY ALBERT R. PALAME<br/>         Sales Service Engineer<br/>         Mobile No. 09258338336<br/>         Email: joeyalbert@me.com</p>  | <p>COMPLIANT</p>   |

| H.15              | 2               | units | WORKING TABLE  |  |  |                 |                   |                 |          |      |       |             |                   |        |  |
|-------------------|-----------------|-------|--|--|--|-----------------|-------------------|-----------------|----------|------|-------|-------------|-------------------|--------|--|
|                   |                 |       | Office table in Melamine finish<br>Wood Grain Cherry finish<br>Contemporary Chamfered edges<br>25mm thick laminated board with duck nose edging 1.25 inches thick table leg profile<br>With center drawer and side drawer<br>Warranty: 12 months |  | <p style="text-align: center;">NON-COMPLIANT</p> <ol style="list-style-type: none"> <li>No product brochure</li> <li>With manufacturer certification stating that the bidder, Quality Medical Trading, is an authorized distributor (or reseller) of the products offered in this bidding and that we hereby authorize and support their submission of Bid to the Bases Conversion and Development Authority.</li> </ol> <p style="text-align: center;">For BAC Deliberation</p> |                 |                   |                 |          |      |       |             |                   |        |  |
| H.16              | 1               | unit  | HYDRO COLLATOR   |  |  |                 |                   |                 |          |      |       |             |                   |        |  |
|                   |                 |       | 220V AC, 60Hz, 1,500W<br>Max. Volume: 80 Liters<br><b>Capacity: 12 Hot Moist Packs</b><br>Internal Size: 50x38x45cm (WxDxH)<br>External Size: 58.5x47x71cm<br>WARRANTY<br>Service: One (1) year Motor: Two (2) years Parts: One (1 year)         |  <p><b>Digital Hot Pack Unit</b><br/>KPS-12PD</p> <table border="1"> <tr> <td>Outer Dimensions</td> <td>575 x 500 x 860</td> </tr> <tr> <td>Chamber (WxDxH)mm</td> <td>490 x 400 x 450</td> </tr> <tr> <td>Capacity</td> <td>12 L</td> </tr> <tr> <td>Power</td> <td>1620W/1600W</td> </tr> <tr> <td>Power consumption</td> <td>1.16kw</td> </tr> </table> <p>JOEY ALBERT R. BALAME<br/>Sales Service Engineer<br/>Mobile No. 0928538326<br/>Email: joeybalame@qmt.com</p> | Outer Dimensions   | 575 x 500 x 860 | Chamber (WxDxH)mm | 490 x 400 x 450 | Capacity | 12 L | Power | 1620W/1600W | Power consumption | 1.16kw | <p style="text-align: center;">NON-COMPLIANT</p> <ol style="list-style-type: none"> <li>The following specifications are not mentioned in the description of the offered product: <ul style="list-style-type: none"> <li>Capacity: 12 Hot Moist Packs</li> </ul> </li> <li>With manufacturer certification stating that the bidder, Quality Medical Trading, is an authorized distributor (or reseller) of the products offered in this bidding and that we hereby authorize and support their submission of Bid to the Bases Conversion and Development Authority.</li> </ol> <p style="text-align: center;">For BAC Deliberation</p> |
| Outer Dimensions  | 575 x 500 x 860 |       |  |  |  |                 |                   |                 |          |      |       |             |                   |        |  |
| Chamber (WxDxH)mm | 490 x 400 x 450 |       |  |  |  |                 |                   |                 |          |      |       |             |                   |        |  |
| Capacity          | 12 L            |       |  |  |  |                 |                   |                 |          |      |       |             |                   |        |  |
| Power             | 1620W/1600W     |       |  |  |  |                 |                   |                 |          |      |       |             |                   |        |  |
| Power consumption | 1.16kw          |       |  |  |  |                 |                   |                 |          |      |       |             |                   |        |  |



|      |   |       |   |  |   |
|------|---|-------|---|--|---|
| H.17 | 1 | unit  | <b>FREEZER</b>  |  |   |
|      |   |       | 3.5 cu. Ft<br>WARRANTY<br>Service: One (1) year Motor: Two (2) years Parts: One (1 year)  | <p>Single Door Upright Freezer</p>  <p>FEATURES:</p> <ul style="list-style-type: none"> <li>• 3.5 cu. Ft. Upright Freezer</li> <li>• Manual Defrost System</li> <li>• Quick freezing</li> <li>• 220VAC, 100 watts</li> <li>• Energy Efficient Compressor</li> <li>• Dimensions: L 58 x W 51 x H 86 (cm)</li> <li>• Weight: 26kgs</li> </ul> | COMPLIANT   |
| H.18 | 2 | units | <b>HOTPACKS (ALL SIZES)</b>   |  |   |
|      |   |       | 570x170mm (450g),<br>395x300mm (850g),<br>490x300mm (1.15kg),<br>580x300mm (1.3kg),<br>580x350mm (1.4kg)<br>Warranty: 12 months |  | NON-COMPLIANT<br><br><b>No Product Brochures</b> and/or other related documents containing the description and specifications of each item to be offered and/or Certificate from the Manufacturer, certifying compliance in all the specifications of each item to be offered as part of their technical envelope during opening of bids. |

| H.19 | 10 | units | COLDPACKS  |  |           |
|------|----|-------|--|--|-----------|
|      |    |       | 230x130mm Gel Type<br>Warranty: 12 months  | <p data-bbox="1087 86 1409 107">Relief Pak Vinyl Cold Pack - half size</p>  <p data-bbox="989 488 1507 561">The Col-Pac re-usable gel type cold pack offers an effective method of applying cold therapy to a localized area. Place pack in a chilling unit or freezer. Packs remain pliable and soft even below freezing. Pack maintains its therapeutic temperature level for up to thirty minutes. Chilled pack should be applied to treatment area using either a towel or a Relief Pak cover.</p> <p data-bbox="989 578 1140 631">Dimensions: 7.5" x 11" x 11"<br/>Weight: 3 lbs<br/>Material: Vinyl exterior</p>  | COMPLIANT |
| H.20 | 1  | unit  | PARAFFIN WAX BATH  |  |           |
|      |    |       | Size: 33 * 27 * 19cm<br>Capacity: 2.8L<br>Power: 200w<br>Temperature range: 45-60 degrees Celsius<br>Warranty: 12 months | <p data-bbox="1178 776 1314 789">PARAFFIN WAX BATH</p>  <p data-bbox="1066 894 1423 915">The Paraffin wax warmer is used to heat the paraffin wax. The application of the heated paraffin wax during heat bath delivers penetrating heat to the affected area. This heat soothes the joints, tissues, and the skin to provide a soothing, pleasant experience.</p> <p data-bbox="1066 919 1108 927">Features:</p> <ul data-bbox="1066 927 1352 959" style="list-style-type: none"> <li>- The wax adopts advanced electrochemical coating to melt wax instantly</li> <li>- Equipped with visual temperature window</li> <li>- Temperature probe designed to prevent from dripping</li> <li>- Control temperature protective device</li> </ul> <p data-bbox="1066 963 1129 971">Specifications:</p> <ul data-bbox="1066 971 1213 1036" style="list-style-type: none"> <li>- Voltage : 220V-240V</li> <li>- Frequency : 50Hz/60Hz</li> <li>- Power : 200W</li> <li>- Volume : 2800ml</li> <li>- Ambient temperature : 50°C</li> <li>- Bathing temperature : 45-60°C</li> <li>- Chamber material : ABS</li> <li>- Inside material : stainless</li> <li>- Packing Size : 42.5 x 28 x 23.5 cm</li> <li>- Packing Weight : 3.5 kg</li> </ul> <p data-bbox="1262 1114 1430 1146">JOEY ALBERT B. PALAME<br/>Sales Service Engineer<br/>Mobile No. 0923823823A<br/>Email: joeyalbertb@gmail.com</p> | COMPLIANT |

# **Annex C**

06 May 2022

**JOEY ALBERT R. FALAME**

*Authorized Representative*

QUALITY MEDICAL TRADING

Unit 305, Aloha Plaza, 424 Tandang Sora Avenue,  
Culiat, Quezon City

**Subject: NOTICE OF INELIGIBILITY**  
Procurement for the Supply, Delivery and Installation of Physical Therapy and  
Rehabilitation Equipment for the National Academy of Sports (NAS) – Phase  
1 at New Clark City

Dear **Mr. Falame**:

In view of the results of the Detailed Evaluation of Bids conducted on 28 April 2022, the Bids and Awards Committee has declared the bid of **Quality Medical Trading**, as ineligible for failure to comply with the minimum standard requirements per our bidding documents (please see attached).

Pursuant to Section 55.1 of the Revised Implementing Rules and Regulations (RIRR) of RA 9184, you may file a Motion for Reconsideration (MR) within three (3) calendar days upon receipt of this written notice.

We appreciate your interest in joining the bidding for this project. We look forward to seeing you in the future BCDA biddings.

Very truly yours,

  
**JOSHUA M. BINGCANG**  
*Chairperson*

Bids and Awards Committee for Goods

BACG2022-0059

**SUMMARY OF THE NON-COMPLIANCE**

| REQUIREMENT  | SUBMISSION  | FINDINGS /REMARKS                                  |
|--|---|--|
| <b>1. Specification of the following items:</b>  |   |  |
| <b>a) Item No. H.1. Anti-Gravity Treadmill</b>   |   |  |
| <p>CAPACITY</p> <ul style="list-style-type: none"> <li>➤ Fits individuals from 4'8" (142 cm) to 6'4" (193 cm); 18.5" (47 cm) hip width, 58" (147 cm) hip circumference.</li> <li>➤ Running surface area: <ul style="list-style-type: none"> <li>➤ - 20-22 inches (51-56 cm) wide</li> <li>➤ - 58-62 inches (147-158 cm) long</li> </ul> </li> <li>➤ Speed range: <ul style="list-style-type: none"> <li>➤ - Forward M320/F320 0 – 12 mph (19.3 km/hr)</li> <li>➤ - Reverse M320/F320 3 mph (4.8 km/hr)</li> </ul> </li> <li>➤ Elevation: M320/F320 0 - 15%</li> </ul> <p>DIMENSIONS</p> <ul style="list-style-type: none"> <li>➤ Length: 84 inches (213 cm)</li> <li>➤ Width: 38 inches (96.5 cm)</li> <li>➤ Height: 74 inches (188 cm)</li> <li>➤ Weight: 550-750 pounds (249-340 kg), approximately</li> <li>➤ Step-up height: 8" (20 cm)</li> </ul> | <p>Specifications not mentioned in the description of the offered product</p> | <p><b>Non Compliant.</b><br/>No specifications</p> |
| <b>b) Item No. H.2 - Overhead / Ceiling-Mounted Track And Harness</b>  |   |  |
| <ul style="list-style-type: none"> <li>➤ Straight track: 7.5ft and 10ft segment</li> </ul>   | <p>Specifications not mentioned in the description of the offered product</p> | <p><b>Non Compliant.</b><br/>No specifications</p> |
| <b>c) Item No. H.3 - Therapeutic Ultrasound</b>  |   |  |
| <ul style="list-style-type: none"> <li>➤ Dimensions (WxDxH) Device 24-34 x 32-36 x 12-15 cm</li> <li>➤ Device with base 24-34 x 30.5-36 x 15-18.2 cm</li> <li>➤ Device with Vacuum 24-34 x 30.5-36 x 21.6-110 cm Weight 2-3 kg; Weight, including the optional battery 3-4 kg</li> <li>➤ Multi-frequency treatment head large 5 cm<sup>2</sup></li> <li>➤ Multi-frequency treatment head small 0,8 cm<sup>2</sup> Pre- programmed treatment suggestions 25 - Evidence Based Programmable positions 300</li> </ul>  | <p>Specifications not mentioned in the description of the offered product</p> | <p><b>Non Compliant.</b><br/>No specifications</p> |

|  |   |  |
|--|---|--|
| <b>d) Item No. H.4 - Portable Electrotherapy Machine</b>   |   |  |
| ➤ Frequency: 1 – 150 Hz  | Specifications not mentioned in the description of the offered product: | <b>Non-Compliant.</b><br>No specifications   |
| <b>e) Item No. H.5 - Portable Percussion Massage Gun</b>   |   |  |
| ➤ Speed: Up to 3,200 percussions per minute  | Specifications not mentioned in the description of the offered product: | <b>Non-Compliant.</b><br>No specifications   |
| <b>f) Item No. H.12 - Plyometric Box</b>   |   |  |
| ➤ Weight Capacity: 330 lbs.<br>Overall Length 20" Product<br>➤ Weight: 24 lbs.   | Specifications not mentioned in the description of the offered product: | <b>Non-Compliant.</b><br>No specifications   |
| <b>g) Item No. H.13 - Treatment Table</b>  |   |  |
| ➤ Lifting time (min.-max.): approximately 35 sec.<br>➤ Power supply: 120/230VAC 50/60 Hz<br>➤ Current consumption: 1.5 A-350W max. (light) or 2.0 A-470W max. (heavy) Colour code frame: grey = RAL 7035 Foam density: 38 Kg/m3  | Specifications not mentioned in the description of the offered product: | <b>Non-Compliant.</b><br>No specifications   |
| <b>h) Item No. H.16 - HydroCollator</b>  |   |  |
| ➤ Capacity: 12 Hot Moist Packs   | Specifications not mentioned in the description of the offered product: | <b>Non-Compliant.</b><br>No specifications   |
| <b>2. Submission of product brochures and/or other related documents on the following items containing the description and specifications of each item to be offered and/or Certificate from the Manufacturer, certifying compliance in all the specifications of each item to be offered as part of their technical envelope during opening of bids</b> |   |  |
| <b>a) Item No. H.15 - Working Table</b>  |   |  |
| ➤ Office table in Melamine finish Wood Grain Cherry finish Contemporary Chamfered edges<br>➤ 25mm thick laminated board with duck nose edging 1.25 inches thick table leg profile<br>➤ With center drawer and side drawer<br>➤ Warranty: 12 months   | None  | <b>Non-Compliant.</b><br>No Product Brochures and/or other related documents containing the description and specifications of each item to be offered and/or Certificate from the Manufacturer, certifying compliance in all the specifications of each item to be offered as part of their technical envelope during opening of bids. |

| <b>b) Item No. H.18 - Hotpacks (All Sizes)</b>   |      |  |
|--|------|--|
| <ul style="list-style-type: none"><li>➤ 570x170mm (450g),</li><li>➤ 395x300mm (850g),</li><li>➤ 490x300mm (1.15kg),</li><li>➤ 580x300mm (1.3kg),</li><li>➤ 580x350mm (1.4kg)</li><li>➤ Warranty: 12 months</li></ul> | None | <b>Non-Compliant.</b><br>No Product Brochures and/or other related documents containing the description and specifications of each item to be offered and/or Certificate from the Manufacturer, certifying compliance in all the specifications of each item to be offered as part of their technical envelope during opening of bids. |